


FFPE, Platelets & Biospecimens - Cool Cube™ PCM Transport Coolers



A Cool Cube™ at Room Temperatures is not an ordinary transport cooler. It is a portable, validated container and pack-out system that keeps temperature sensitive product (FFPE, platelets, biospecimens, etc.) between 15 and 25 °C for over 3 days (or between 20 and 24 °C for over 2 days) – *without using ice or electricity!* This simple system streamlines the transport of valuable, room temperature product and protects it from warming or cooling during off-site use or power outages. The validated, patented technology of a Cool Cube™ saves time, saves money and is improving cold chain management practices around the world. The Cool Cube™ is a container and pack-out system so advanced...it's easy!



| | Cool Cube™ 03 at Room Temps (RT-03) | Cool Cube™ 08 at Room Temps (RT-08) | Cool Cube™ 28 at Room Temps (RT-28) | Cool Cube™ 96 at Room Temps (RT-96) |
|----------------------------|--|--|---|---|
| Temperature Range | 20 to 24 °C / 15 to 25 °C | 20 to 24 °C / 15 to 25 °C | 20 to 24 °C / 15 to 25 °C | 20 to 24 °C / 15 to 25 °C |
| Validated Duration | 47+ hrs. / 91+ hrs. (summer) | 66+ hrs. / 83+ hrs. (summer) | 85+ hrs. / 141+ hrs. (summer) | 91+ hrs. / 143+ hrs. (summer) |
| Payload Area | 5¾" x 5¾" x 5¾" | 11¼" x 6½" x 6½" | 12" x 12" x 12" | 18" x 18" x 18" |
| Exterior Dimensions | 11" x 11" x 11" | 16" x 11½" x 11½" | 20½" x 20½" x 23" | 26½" x 26½" x 28¼" |
| Weight | 11 lbs. | 17 lbs. | 62 lbs. | 114 lbs. |
| Features | <ul style="list-style-type: none"> • Six Room Temp PCM Panels • Temp-Shield™ VIP System • User-Friendly Carrying Case | <ul style="list-style-type: none"> • Six Room Temp PCM Panels • Temp-Shield™ VIP System • User-Friendly Carrying Case | <ul style="list-style-type: none"> • Six Room Temp PCM Panels • Temp-Shield™ VIP System • User-Friendly Wheeled Case | <ul style="list-style-type: none"> • Six Room Temp PCM Panels • Temp-Shield™ VIP System • User-Friendly Wheeled Case |

[Go to Web Page >>](#)



info@VeriCorMed.com
(608) 526-6901

For more information & pricing: www.VeriCorMed.com



Cool Cube™ 03 at Room Temps (FFPE, platelets, biospecimens)





Model: RT-03



The Cool Cube™ 03 at Room Temperatures is not an ordinary transport cooler. It is an easy-to-carry, validated container and pack-out system that keeps temperature sensitive product (FFPE, platelets, biospecimens) between 15 and 25 °C for over 3½ days (or between 20 and 24 °C for over 2 days) – without using ice or electricity! This cooler is ideal for transport, but also excels at protecting valuable product during off-site use and power outages, regardless of hot or freezing conditions. The simple, validated, patented technology is the best compact thermal protection product available to maintain the cold chain!



Validated Pack-Out System



- 1 Adjustable shoulder strap with pad is removable.
- 2 Double zipper closure for easy access.
- 3 Clear external pockets for documents and/or Digital Data Logger (DDL).
- 4 Six removable, temperature-controlling, PCM panels ensure a simple, quick & effective pack-out.

| Features | Specifications |
|---|---|
| <ul style="list-style-type: none"> 6 patented room PCM panels manage the temp Temp-Shield™ vacuum insulated panel (VIP) system Rugged, blue carrying case with a shoulder & hand strap Validated under ISTA Test Procedure 7D (Int'l Safe Transit Assoc.) | <p><i>Temperature Range / Duration</i> 20 to 24 °C (68 to 75 °F) / 47+ hrs. 15 to 25 °C (59 to 77 °F) / 91+ hrs. (summer profiles used for hrs.)</p> <p><i>Payload Area</i> 5¼" x 5¼" x 5¼"</p> <p><i>Exterior Dimensions & Weight</i> 11" x 11" x 11" @ 11 lbs.</p> |

[Go to Web Page >>](#)



info@VeriCorMed.com
(608) 526-6901

For more information & pricing: www.VeriCorMed.com



Cool Cube™ 08 at Room Temps (FFPE, platelets, biospecimens)

Model: RT-08



The Cool Cube™ 08 at Room Temperatures is not an ordinary transport cooler. It is an easy-to-carry, validated container and pack-out system that keeps temperature sensitive product (FFPE, platelets, biospecimens) between 15 and 25 °C for over 3½ days (or between 20 and 24 °C for over 2½ days) – without using ice or electricity! This cooler is ideal for transport, but also excels at protecting valuable product during off-site use and power outages, regardless of hot or freezing conditions. The simple, validated, patented technology is the best compact thermal protection product available to maintain the cold chain!

Features

- 6 patented room PCM panels manage the temp
- Temp-Shield™ vacuum insulated panel (VIP) system
- Rugged, blue carrying case with a shoulder & hand strap
- Validated under ISTA Test Procedure 7D (Int'l Safe Transit Assoc.)

Specifications

Temperature Range / Duration
20 to 24 °C (68 to 75 °F) / 66+ hrs.
15 to 25 °C (59 to 77 °F) / 83+ hrs.
(summer profiles used for hrs.)

Payload Area
11¼" x 6½" x 6½"

Exterior Dimensions & Weight
16" x 11½" x 11½" @ 17 lbs.




4 Crēdo™ inside


- 1 Adjustable shoulder strap with pad is removable.
- 2 Double zipper closure for easy access.
- 3 Clear external pockets for documents and/or Digital Data Logger (DDL).
- 4 Six removable, temperature-controlling, PCM panels ensure a simple, quick & effective pack-out.

Validated Pack-Out System


Remove PCM Panels




Prep PCM Panels



Assemble PCM Panels



Pack-Out Product



Close Bag



Go to Web Page >>



info@VeriCorMed.com
(608) 526-6901

For more information & pricing: www.VeriCorMed.com



Cool Cube™ 28 at Room Temps (FFPE, platelets, biospecimens)

Model: RT-28



The Cool Cube™ 28 at Room Temperatures is not an ordinary transport cooler. It is an easy-to-carry, validated container and pack-out system that keeps temperature sensitive product (FFPE, platelets, biospecimens) between 15 and 25 °C for over 5 days (or between 20 and 24 °C for over 3 days) – without using ice or electricity! This cooler is ideal for transport, but also excels at protecting valuable product during off-site use and power outages, regardless of hot or freezing conditions. The simple, validated, patented technology is the best compact thermal protection product available to maintain the cold chain!

Features

- 6 patented room PCM panels manage the temp
- Temp-Shield™ vacuum insulated panel (VIP) system
- Rugged, military spec case with large lifting handles & wheels
- Validated under ISTA Test Procedure 7D (Int'l Safe Transit Assoc.)

Specifications

Temperature Range / Duration
20 to 24 °C (68 to 75 °F) / 85+ hrs.
15 to 25 °C (59 to 77 °F) / 141+ hrs.
(summer profiles used for hrs.)

Payload Area
12" x 12" x 12"


Exterior Dimensions & Weight
20½" x 20½" x 23" @ 62 lbs.




- 1 Integrated towing handle for easy transport.
- 2 Holder and flexible grommet enables the use of an external temp monitor.
- 3 Tru-Trac System™ - a user-friendly wheel configuration.
- 4 Six removable, temperature-controlling, PCM panels ensure a simple, quick & effective pack-out.

Validated Pack-Out System


Remove PCM Panels



Prep PCM Panels



Assemble PCM Panels



Pack-Out Product



Close Case



[Go to Web Page >>](#)



info@VeriCorMed.com
(608) 526-6901

For more information & pricing: www.VeriCorMed.com



Cool Cube™ 96 at Room Temps (FFPE, platelets, biospecimens)

Model: RT-96



The Cool Cube™ 96 at Room Temperatures is not an ordinary transport cooler. It is an easy-to-carry, validated container and pack-out system that keeps temperature sensitive product (FFPE, platelets, biospecimens) between 15 and 25 °C for over 5½ days (or between 20 and 24 °C for over 3½ days) – without using ice or electricity! This cooler is ideal for transport, but also excels at protecting valuable product during off-site use and power outages, regardless of hot or freezing conditions. The simple, validated, patented technology is the best compact thermal protection product available to maintain the cold chain!

Features

- 6 patented room PCM panels manage the temp
- Temp-Shield™ vacuum insulated panel (VIP) system
- Rugged, military spec case with large lifting handles & wheels
- Validated under ISTA Test Procedure 7D (Int'l Safe Transit Assoc.)

Specifications

Temperature Range / Duration
20 to 24 °C (68 to 75 °F) / 91+ hrs.
15 to 25 °C (59 to 77 °F) / 143+ hrs.
(summer profiles used for hrs.)

Payload Area
18" x 18" x 18"


Exterior Dimensions & Weight
26½" x 26½" x 28¼" @ 114 lbs.




- 1 Folding handle for ease of movement.
- 2 Holder and flexible grommet enables the use of an external temp monitor.
- 3 Multi-directional locking wheel system.
- 4 Six removable, temperature-controlling, PCM panels ensure a simple, quick & effective pack-out.

Validated Pack-Out System


Remove PCM Panels




Prep PCM Panels



Assemble PCM Panels



Pack-Out Product



Close Case



[Go to Web Page >>](#)



info@VeriCorMed.com
(608) 526-6901

For more information & pricing: www.VeriCorMed.com

